






































































DIN	similar ISO	DESCRIPTION	DIN	similar ISO	DESCRIPTION
1	2339	 Taper Pins, type B, turned *	440	7094	 Washers, especially for wood constructions
7	2338	 Parallel Pins, tolerance zone m6	444		 Eye bolts, type B
84	1207	 Slotted cheese head screws	462		 Internal tap washers for slotted round nuts DIN 1804 *
85	1580	 Slotted pan head screws	463		 Washers with 2 taps *
93		 Washers with tap *	464		 Knurled thumb screws, high type *
94	1234	 Split cotter pins	465		 slotted knurled thumb screws, high type *
95		 Slotted raised countersunk (oval) head wood screws *	466		 Knurled thumb nuts, high type *
96		 Slotted round head wood screws	467		 Knurled thumb nuts, low type *
97		 Slotted countersunk (flat) head wood screws	471		 Ext. Circlips for shafts
125 A		 Thin washers, without bevel	472		 Int. Circlips for bores
125	7089	 DIN 125 washers, std. thickness	546		 Slotted round nuts *
127 A		 Spring lock washers, tang ends	547		 Round nuts with drilled holes in one face *
127 B		 Spring lock washers, square ends	551	4766	 Slotted set screws with chamfered end *
128 A		 Spring lock washers, curved	553	7434	 Slotted set screws with cone point *
128 B		 Spring lock washers, waved	557		 Square nuts
137 A		 Spring washers, curved	562		 Square thin nuts
137 B		 Spring washers, waved	571		 Hexagon head wood screws
186		 T-head bolts with square neck *	580 F		 Lifting eye bolts, forged
315 AF		 Wing nuts, American form	582 F		 Lifting eye nuts, forged
315 DF		 Wing nuts, German form	603	8677	 Mushroom head square neck bolts (Cup square neck bolts)
316 AF		 Wing screws, American form	653		 Knurled thumb screws, low type *
316 DF		 Wing screws, German form *	660		 Round head rivets
404		 Slotted capstan screws *	661		 Countersunk head rivets
417	7435	 Slotted set screws with full dog point *	705		 Adjusting rings, with and without set screws *
427	2342	 Slotted headless screws with chamfered end *	835		 Studs, thread end = 2d
431		 Pipe nuts with thread DIN ISO 228 part 1	906		 Hexagon socket pipe plugs, conical thread
432		 Washers with external tap *	908		 Hexagon socket screws plugs with cylindrical thread *
433	7092	 Washers for cheese head screws	910		 Hexagon head screws plugs with cylindrical thread *
434		 Square taper washers for U-sections, 8% incline *	912	4762	 Hexagon socket head cap screws
435		 Square taper washers for I-sections, 14% incline *	913	4026	 Hexagon socket set screws with chamfered end
436		 Square washers for wood constructions	914	4027	 Hexagon socket set screws with cone point
438	7436	 Slotted set screws with cut point	915	4028	 Hexagon socket set screws with dog point
439	4035	 Hexagon thin nuts, chamfered			
439 F	8675	 Hexagon thin nuts, metric fine pitch thread			
439 L		 Hexagon thin nuts, chamfered, metric left hand thread			

\* Non Stock Items - Import Only



DIN	similar ISO	DESCRIPTION
916	4029	Hexagon socket set screws with cup point
917		Hexagon cap nuts
921		Slotted pan head screws with large head *
923		Slotted pan head screws with shoulder, dog point *
928		Square weld nuts
929		Hexagon weld nuts
931	4014	Hexagon head bolts
933	4017	Hexagon head screws
934	4032	Hexagon nuts
934 F	8673	Hexagon nuts with metric fine pitch
934 L		Hexagon nuts with left hand thread
935	7035	Hexagon slotted and castle nuts
937	7038	Hexagon thin slotted and half castle nuts
938		Studs, thread end = 1xd
939		Studs, thread end = 1,25xd *
963	2009	Slotted countersunk head screws
964	2010	Slotted raised countersunk (oval) head screws
965 H	7046	Philips drive countersunk (flat) head screw *
965 Z	7046	Pozi drive countersunk (flat) head screw
966 Z	7047	Pozi counters. (oval) head screws
975		Threaded rods
976 - 1		Threaded studs, type B
980	7042	Prevailing torque type hexagon nuts full metal
982	7040	Prevailing torque hex. nyloc nuts with non-metal insert, high type
985	10511	Prevailing torque type hexagon nyloc nuts w. non-metalic ins., low type
986		Prevailing torque type hexagon domed cap nyloc nuts
988		Shim rings *
1052		Washers for wood constructions
1440	8738	Plain washers for clevis pins
1471	8744	Grooved pins, full length taper grooved *
1472	8745	Grooved pins, half length taper grooved *

DIN	similar ISO	DESCRIPTION
1473	8740	Grooved pins, full length parallel grooved, with chamfer *
1474	8141	Grooved pins, half length reverse taper grooved *
1475	8142	Grooved pins, third length reverse taper grooved *
1476	8746	Grooved pins, round head hammer drive screws
1481	8752	Spring type straight pins, slotted
1587		Heavy typ hexagon domed cap nuts
2093		Disc springs *
HC		Hose clamp, with worm gear drive, type A
3053		Wire rope, 1 X 19 rigid
3055		Wire rope, 7 X 7 soft
3060		Wire rope, 7 X 19 flexible
8449		Mini swage studs internal thread
741		Crosby clamps
6330		Hexagon nuts 1,5 d, type B
6331		Hexagon nuts 1,5 d with collar
6334		Long hexagon coupler nuts
6796		Conical spring washers for bolted connections
6797		Toothed lock washers, form A and J
6798		Serrated lock washers, form A and J
6799		Retaining washers for shafts
6885		Parallel keys, type A *
6900		Screw assemblies (SEMS), metric thread *
6901		Tapping screw assemblies (SEMS) *
6912		Hex. socket head scr. w. centre hole, low profile *
6921	1665	Hexagon head screws w. flange *
7337	15983	Blind rivets, type A - Dome head Blind rivets, type B - CSK head
7343	8750	Spiral pins, medium duty
7349		Heavy duty flat washers
7500	M + C	Taptite thread rolling screws
7504	K+N+P	Self drilling screws, form K, N and P
7516		Thread cutting screws
7967		Self locking counter Pal nut



DIN	similar ISO	DESCRIPTION
7971	1481	Pan head tapping screws with slot, type C
7972	1482	Countersunk head tapping screws, with slot, type C
7973	1483	Raised Countersunk head tapping screws with slot, type C
7976	1479	Hexagon tapping screws, type C
7980		Square med. spring lock washers
7981 Z	7049	Pan head tapping screws with pozi drive
7982 Z	7050	Countersunk flat head tapping with pozi drive
7983 Z	7051	Raised Countersunk head tapping screws with pozi drive
7984		Hex. socket head cap screws with low head
7985 Z	7045	Pozi drive raised pan head screws
7989		Washers f. steel constructions
7991	10642	Hexagon socket countersunk head screws
7993		Snap rings for shafts, type A *
7995 Z		Pozi raised countersunk head wood screws *
7996 Z		Pozi round head wood screws *
7997 Z		Pozi countersunk head wood screws
9021	7093	Washers w. outside diameter ≈ 3x nominal thr. diam.
11024		Closed spring cotter pins
25201		Nord Lock Washers Standard Bonded

FR	DESCRIPTION
CBSPZF	Chipboard screws with countersunk head, full thread, pozidrive
CBSPZ	Chipboard screws with countersunk head, part thread, pozidrive
CBSPPPZ	Panhead chipboard screws, full thread, pozidrive *
CBSPPTX	Panhead chipboard screws, with Torx drive, full thread *
CBSPPPZ	Panhead chipboard screws, with part thread, pozidrive *
CBSPPTX	Panhead chipboard screws, with Torx drive, part thread *
CBSPRPZ	Raised counters. chipboard screw full thread, pozidrive *
CBSPRTX	Raised counters. chipboard screw with Torx drive, full thread *
CBSPRPZ	Raised counters. chipboard screw, part thread, pozidrive *
CBSPRTX	Raised countersunk chipboard screw with Torx drive, part thread *
CBSTX	Chipboard screws with counters. head, Torx drive, full thread
CBSTX	Chipboard screws with counters. head, Torx drive, part thread

FR	DESCRIPTION
CBSTD	Counters. chipb. screws w. Torx drive, part threaded self drill, 6 ribs
9150	Teak deck screws, pozi drive *
HSDBW	Hex washer faced bi metal self drilling screw with EPDM - washer attached
7981PT 7982PT	Thermoplastic Self tapping screws
7504KW	Self drilling scr. simil. DIN 7504 K w. attached EPDM sealing washers
7504NT	Self drilling screws similar DIN 7504 N with Torx drive
7504PT	Self drilling screws similar DIN 7504 P with Torx drive
9170 - 9178	Wood scr. w. EPDM - washers Pozi + Torx drive, A2 + A2 copper-plated *
TOPW	Top speed roofing screws with EPDM washer
912ST	Tapping screws with head DIN 912 *
DHB	Dowel screws without centre
9210	Dowel screws with centre *
HBU	Dowel screws with hexagon
9213	Dowel screws with Torx drive *
HBA	Dowel screws with hexagon and assembled nuts and washers
9218	EPDM-sealings for dowel screws *
9220	Pan head tapping screws with mounted polyamid washer *
9230	Slotted hexagon tapping screws with mount. poly. washer *
9231	Slotted hexagon tapping screws *
9235	Self tapping screws with caphead similar DIN 7981 (Phillips) *
9236	Cover caps for self tapping screws
FW	Plain washers
FW	Washers to French Norm NFE 25-514
9250	Locking washers "S"
CW	Finishing cup washer
EPDM	EPDM sealing washers
SSW	Serrated locking washers, type M/S/B/Z/K SCHNORR
INSERT	Self tapping inserts (ENSAT)
7965	Rampa insert bushings, type B
HELI	Threaded inserts
SHEAR	Shear off nuts / Security nuts
SN	Spring nut

\* Non Stock Items - Import Only

\* Non Stock Items - Import Only



FR		DESCRIPTION	
CLN		Round clinch nuts ( Self clinching )	
TN		Drive-in nuts	
CRNK		Countersunk blind rivet nuts, small CSK	
FRN		Flat head blind rivet nuts	
CLRN		Countersunk blind rivet nuts	
FHRN		Flat headed blind rivet nuts, hexagonal shank	
CHRN		Countersunk blind rivet nuts, low head, hexagonal shank	
9320		Weld on nuts, type A, B and C	*
7380		Hexagon socket button head cap screws	
GB		Slotted mushroom head screws	
7380F		Hexagon socket button head screws with flange	*
9340		Slotted sleeve nuts	*
6923		Hexagon flange nuts with serration, similar DIN 6923	
HHB		Hammer head screws for type 50/30, 40/22, 38/17, 28/15, 20/12	*
UB		U - bolts, DIN 3570	
9450		Cheese head screws, combi cross slot, type H/SZ	*
7985TX		Pan head screws Torx drive, similar DIN 7985	
7380TX		Hexagon socket button head scr. w. Torx drive similar ISO 7380	
7991TX		Counters. head screws, Torx drive, similar DIN 7991	
965TX		Counters. head screws, Torx drive, similar DIN 965	
7981TX		Pan head tapping screws with Torx drive, sim 7981	
7982TX		Counters. flat head tapping screws with Torx drive, sim 7982	
7983TX		Raised counters head tapping screws w. Torx drive, sim 7983	*
7380ST		Security screws similar to ISO 7380, Torx drive & pin	
7991ST		Security screws similar to DIN 7991, Torx drive & pin	
7981ST		Security screws to DIN 7981, Torx drive & pin	
7982ST		Security screws sim. to DIN 7982, Torx drive & pin	
BITTXS		Bits for security screws with Torx drive and pin	
911ST		L-keys with Torx drive and pin	
WS		Threaded drawn arc weld studs type RD	
FER		Arc weld stud Ferrules ceramic for type RD	
32501		Threaded weld studs tip ignition	

125/933/934		Polyamid Fasteners
580		Lifting eye screws, casted
582		Lifting eye nuts, Casted
9800		Decking scr. w. lower countersunk head, Torx drive, thread end SB
9810		Washer head screws, Torx drive, thread end SB
9820		Decking screws, milling ribs, lower countersunk head, thread end SB
9850		Dowel screws for concrete, hard metal points, technical approval
CAB		Concrete screws w. hexagon head, hard met. points, technical approval

ANCHOR-SYSTEMS		DESCRIPTION
CHEM		Chemical anchor stud
NIA		Nail-in-Anchors
CHM		Chemical anchor cartridge
WA		Wedge Anchor
SA		Sleeve Anchor
DIA		Drop in Anchor
RAWB		Rawlbolt
WP		Wall Plug

- Items marked with \* can be ordered at short notice and will be kept in stock for regular usage

- Specials Manufactured to your specifications

- Most items are available in Grade 304 & Grade 316

- Special Products for the Solar- and Maritim - Industry can be ordered on request

- All our products are sourced from approved overseas suppliers who adhere to the highest international quality standards

- Material Certificates are available on request

- Due to our vast experience and excellent relationships with our suppliers in Europe and Far East, we are able to source almost any Fastener in any material - Enquiries for non stainless steel products are welcome.

- Imperial (UNC) range of bolts, nuts and threaded rods available ex stock



01/2018

**We also stock mild steel and high tensile products in zinc-plated and hot dip galvanized!**

Fastenright (Pty) Ltd

T: 021 534 9095 | F: 021 534 5997 | F2E: 086 677 3381 | E: sales@fastenright.co.za  
27 Mail Street | Western Province Park | Cape Town | 7460 | P.O. Box 999 | Eppindust | 7475

